

# SAFETY DATA SHEET



## SECTION 1: IDENTIFICATION

Company Information	KALO, Inc., 13200 Metcalf Ave., Ste. 250, Overland Park, KS 66213
Phone Numbers	800-255-5196 / 913-491-9146 FAX
Website	www.kalo.com
Product Identity	<b>SUMMIT</b>
Reference/Item Number	SUM45
Intended Use	Refer to package label.
Application Method	Refer to package label.
24 HOUR EMERGENCY NUMBER/CHEMTREC (USA)	1-800-424-9300
POISON CONTROL CENTER (USA)	1-800-222-1212

## SECTION 2: HAZARDS IDENTIFICATION

### HAZARD COMMUNICATION STANDARD (HCS) PICTOGRAM(S) AND SIGNAL WORD(S)



### WARNING

Eye Irritant 2A:	H319: Causes serious eye irritation.
Skin Irritant 3:	H316: Causes mild skin irritation.
Acute Tox (oral) 4:	H303: May be harmful if swallowed.
Acute Tox (dermal) 5:	H313: May be harmful in contact with skin.
Prevention:	P280: Wear protective gloves/clothing and eye/face protection. P264: Wash hands, face and other affected areas thoroughly after handling.
Response:	P305+351+338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do; continue rinsing. P337+313: If eye irritation persists, get medical advice/attention. P302+352: IF ON SKIN: Wash with plenty of soap and water. P332+313: If skin irritation occurs, get medical advice/attention.
Storage:	No GHS storage statements.
Disposal:	P501: Dispose of contents/container in accordance with local/national regulations.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

This product is labeled with the following GHS classifications, as it contains substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations. This product is a proprietary blend and the ingredients and mixture percentages are being withheld as confidential business information.

Ingredient/Chemical Designations:	Milled ammonium sulfate, drift reduction/deposition polymers and antifoam agents
CAS No.:	Mixture
Weight %:	100
Notes:	[1] Substance classified with a health or environmental hazard. [2] Substance with a workplace exposure limit.

# SAFETY DATA SHEET



## SECTION 4: FIRST AID MEASURES

### [DESCRIPTIONS]

<b>General:</b>	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
<b>Inhalation:</b>	Remove to fresh air. Keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
<b>Eyes:</b>	Irrigate copiously with clean fresh water for at least 10 minutes, holding the eyelids apart and seek medical attention.
<b>Skin:</b>	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Do NOT use solvents or thinners.
<b>Ingestion:</b>	If accidentally swallowed, obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

### [MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED]

<b>Overview:</b>	No adverse symptoms or effects anticipated under normal handling conditions. See Section 2 for further details.
<b>Eyes:</b>	Causes serious eye irritation.
<b>Skin:</b>	Causes mild skin irritation. May be harmful in contact with skin.
<b>Ingestion:</b>	May be harmful if swallowed.

## SECTION 5: FIREFIGHTING MEASURES

<b>Extinguishing Media:</b>	Alcohol resistant foam, CO <sub>2</sub> , powder, fog, or water spray. Do not use water jet.
<b>Special Hazards:</b>	Combustion may yield smoke, carbon monoxide, and other products of incomplete combustion. Oxides of sulfur, nitrogen or phosphorus may also be formed. Never use welding or cutting torches on or near container, even if empty.
<b>Advice For Firefighters:</b>	Evacuate area. Prevent contamination from run-off of adjacent areas, streams, drinking water and sewers. Do not flush down sewers or other drainage systems. Exposed firefighters must wear standard protective equipment and in enclosed areas self-contained breathing apparatus. Use water-spray to cool fire-exposed surfaces and personnel.
<b>Explosion Hazards:</b>	Dust suspended in air may create a potentially explosive environment.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

<b>Precautions/Procedures:</b>	Keep all sources of ignition away from spill/release. In case of a major spill or spillage in a confined space evacuate the area and check vapor levels.
<b>Environmental Precautions:</b>	Do not allow spills to enter drains or water courses.
<b>Methods and Material For Containment and Cleaning Up:</b>	Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in Section 8. Contain and absorb spillage with non-combustible materials (e.g. sand/earth/vermiculite). Place in closed containers outside buildings and dispose of according to the Waste Regulations (see Section 13). Clean, preferably with a detergent. Do not use solvents. Do not allow spills to enter drains or water courses. If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams, or lakes, the Environmental Protection Agency should also be informed.

## SECTION 7: HANDLING AND STORAGE

<b>Precautions For Safe Handling:</b>	Do not get in eyes, on skin, or on clothing. Do not breathe vapors or mists. Keep bag closed. Use only with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and wash before reuse. Destroy contaminated belts and shoes and other items that cannot be decontaminated. Have eyewash accessible to use in handling area. See Section 2 for further details.
<b>Conditions For Safe Storage:</b>	Store in tightly closed bags in dry, well-ventilated area, away from excessive heat and incompatibles. Do not allow water or other chemicals to be introduced into contents of bag. Do not store near feed or food products. Do not use or store near open flame or incompatible materials. See Section 2 for further details.
<b>Incompatible Materials:</b>	Oxidizing agent, bases, chlorates, nitrates.

# SAFETY DATA SHEET



KALO

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>Exposure Data:</b>	This product contains no ingredients (at greater than 0.1%) with established limits for exposure under OSHA, ACGIH and/or NIOSH.
<b>Carcinogen Data:</b>	This product contains no ingredients (at greater than 0.1%) that are suspected of being or known to be a carcinogen under OSHA, NTP or IARC.
<b>[PERSONAL PROTECTIVE EQUIPMENT]</b>	
<b>Respiratory:</b>	If workers are exposed to concentrations above the exposure limit, they must use the appropriate certified respirators.
<b>Eyes and Face:</b>	Wear safety eyewear (e.g. safety spectacles/goggles/visors) to protect against the splash of liquids.
<b>Skin:</b>	Overalls, which cover the body, arms, and legs, should be worn. Skin should not be exposed. All parts of the body should be washed after contact.
<b>Engineering Controls:</b>	Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates, and any vapor below occupational exposure limits, suitable respiratory protection must be worn.
<b>Other Work Practices:</b>	See technical data sheet.
<b>[COMMENTS]</b>	
<b>TLV (Units):</b>	Nuisance Dust TLV (units): 15mg/m <sup>3</sup>

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Free Flowing White Granule
<b>Odor:</b>	Slight Chemical
<b>Odor Threshold:</b>	Not Measured
<b>pH:</b>	Not Measured
<b>Specific Gravity:</b>	Not Applicable
<b>Flashpoint and Method:</b>	Difficult to Burn
<b>Solubility in Water:</b>	Complete
<b>Viscosity (dynamic):</b>	Not Measured
<b>Viscosity (kinematic):</b>	Not Measured
<b>VOC%:</b>	Not Measured
<b>Vapor Pressure (Pa):</b>	Not Measured
<b>Vapor Density (air=1):</b>	Not Measured
<b>Density:</b>	52-57 lbs/ft <sup>3</sup>
<b>Freezing Point:</b>	Not Measured
<b>Initial Boiling Point/Range:</b>	Not Measured
<b>Melting Point/Range:</b>	Not Measured
<b>Flammability (Solid, Gas):</b>	Not Measured
<b>Upper Flammability/Explosive Limits:</b>	Not Measured
<b>Lower Flammability/Explosive Limits:</b>	Not Measured
<b>Decomposition Temperature:</b>	Not Measured
<b>Auto-Ignition Temperature:</b>	Not Measured
<b>Volatility:</b>	Not Measured
<b>Molecular Weight:</b>	Not Measured
<b>Oxidizing Properties:</b>	Not Measured
<b>Partition Co-Efficient n-octanol/water (Log Pow):</b>	Not Measured
<b>Evaporation Rate (Butyl Acetate=1):</b>	Not Measured
<b>Particle Size:</b>	Not Measured
<b>Other:</b>	No other relevant information.

# SAFETY DATA SHEET



KALO

## SECTION 10: STABILITY AND REACTIVITY

Reactivity:	Not chemically reactive.
Chemical Stability:	Stable under normal ambient and anticipated conditions of use.
Hazardous Reactions:	Hazardous reactions not anticipated.
Conditions To Avoid:	Heat, open flame, sparks, static electricity.
Incompatible Materials:	Oxidizing agent, bases, chlorates, nitrates.
Hazardous Decomposition Products:	Temperatures above 282°C causes a release of ammonia and sulfur trioxide.

## SECTION 11: TOXICOLOGICAL INFORMATION

[ACUTE TOXICITY ESTIMATE]		
Ingredients:	Milled ammonium sulfate, drift reduction/deposition polymers and antifoam agents	
Oral LD50mg/kg:	No Data Available	
Skin LD50mg/kg:	No Data Available	
Inhalation Vapor LC50mg/L/4hr:	No Data Available	
Inhalation Dust/Mist LC50mg/L/4hr:	No Data Available	
ITEM	HAZARD	CATEGORY
Acute Toxicity (mouth):	May be harmful if swallowed.	4
Acute Toxicity (skin):	May be harmful in contact with skin.	5
Acute Toxicity (inhalation):	Not Applicable	--
Skin Corrosion/Irritation:	Causes mild skin irritation.	3
Eye Damage/Irritation:	Causes serious eye irritation.	2A
Sensitization (respiratory):	Not Applicable	--
Sensitization (skin):	Not Applicable	--
Germ Toxicity:	Not Applicable	--
Carcinogenicity:	Not Applicable	--
Reproductive Toxicity:	Not Applicable	--
Specific Target Organ Systemic Toxicity-Single Exposure:	Not Applicable	--
Specific Target Organ Systemic Toxicity-Repeated Exposure:	Not Applicable	--
Aspiration Hazard:	Not Applicable	--

## SECTION 12: ECOLOGICAL INFORMATION

Toxicity:	No additional information provided for this product. Not for use in aquatic settings.
Persistence and Degradability:	There is no data available on the preparation itself.
Bioaccumulative Potential:	Not measured.
Mobility In Soil:	No data available.
Results of PBT and vPvB Assess:	This product contains no PBT/vPvB chemicals.
Other Adverse Effects:	No data available.

# SAFETY DATA SHEET



## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Treatment Methods:**

Do not allow into drains or water courses. Wastes and emptied containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority, whether the special waste regulations apply. Dispose of contents in accordance with local and national regulations.

## SECTION 14: TRANSPORT INFORMATION

**DOT Proper Shipping Name:** Not Regulated

**DOT Hazard Class:** Not Applicable

**DOT Packing Group:** Not Applicable

**DOT Label:** None

**IMDG Proper Shipping Name:** Not Regulated

**IMDG Hazard Class:** Not Applicable

**IMDG Packing Group:** Not Applicable

**IMDG Marine Pollutant:** No

**ICAO/IATA:** See Bill of Lading

## SECTION 15: REGULATORY INFORMATION

**Regulatory Overview:** The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

**Toxic Substance Control Act (TSCA):** All ingredients of this product are listed on the TSCA inventory, or are not required to be listed on the TSCA inventory.

**WHMIS Classification:** D2B

**U.S. EPA Tier II Hazards:** Fire=NO / Sudden Release of Pressure=NO / Reactive=NO / Immediate (acute)=YES / Delayed (chronic)=NO

**EPCRA 302–Extremely Hazardous (0.1%):** To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**EPCRA 311/312–Chemicals and RQs (>0.1%):** To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**EPCRA 313–Toxic Chemicals (>0.1%):** Sulfuric acid diammonium <100%

**Proposition 65–Carcinogens (>0.0%):** To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65–Developmental Toxins (>0.0%):** To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65–Female Repro Toxins (>0.0%):** To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65–Male Repro Toxins (>0.0%):** To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**N.J. RTK Substances (>1%):** To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**PENN RTK Substances (>1%):** To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## SECTION 16: OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. Company accepts no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations and orders.