

# Impress



## Impress

### Seed Treatment Additive

#### Principal Functioning Agents

Proprietary complex of fatty acid alkoxyolate and free fatty acids..... 100.0%

All ingredients are exempt from tolerance requirements under 40 CFR 180.



**KEEP OUT OF REACH OF CHILDREN  
WARNING**

#### Hazard Statements

- Causes mild skin irritation.
- Causes eye irritation.

#### Precautionary Statements

- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Wash thoroughly after handling.
- Wear long-sleeved shirt, pants, shoes with socks, chemical resistant gloves and splash proof safety goggles or face mask.
- For additional protection, a chemical resistant apron or coveralls are suggested, but not required.

#### Important

Do not use this product before reading and understanding all safety precautions. Wear personal protection equipment (PPE) when handling. If exposed or concerned about exposure, seek medical advice or attention.

#### First Aid

Call a poison control center or doctor/physician immediately for treatment advice.

**If Swallowed:** Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

**If Inhaled:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.

**If in Eyes:** Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

**If on Skin or Clothing:** Wash skin with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Remove contaminated clothing and wash before reuse.

#### Storage and Disposal

**Storage:** Store above 25°F. Store in tightly closed original container. Store in a cool, well-ventilated place. Do not allow water or other chemicals to be introduced into contents of container. Do not store near feed or food products. Do not use or store near open flame.

**Disposal:** Offer triple rinsed container for recycling, or puncture and dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Dispose of contents/container in accordance with local/national regulations.

#### General Information

Impress is designed to improve the coverage and retention of seed treatments on the treated seed when mixed as an additive with EPA registered seed treatments such as fungicides and insecticides.

#### Directions For Use

Rates should be adjusted to obtain the desired coverage and performance based upon the seed size, seed coat, total slurry mix volume, and seed treatment application equipment.

**Suggested Use Rate for Use On Labeled Crops (wheat, barley, oats, rye, triticale):** Add 0.75 to 2 fluid ounces of Impress per 100 pounds of seed. Impress should be used with a minimum total mixed slurry application volume of 6 fluid ounces or more applied per 100 pounds of seed.

#### Mixing Instructions

ALWAYS READ AND FOLLOW THE MIXING INSTRUCTIONS OF THE EPA REGISTERED SEED TREATMENT CHEMICAL FOR WHICH THIS PRODUCT IS BEING USED AS AN ADDITIVE. The use of a jar-test to confirm compatibility is recommended prior to large volume mixing of any new treatment slurry. In the absence of mixing instructions provided by the chemical manufacturer, follow these general mixing instructions to prepare the slurried treatment mix in the application slurry tank:

1. First add 1/2 of the water required (if any) and initiate mechanical or other mixing device.
2. Add wettable powder and/or dry flowable seed treatments (if any).
3. Add liquid flowable seed treatments.
4. Add emulsifiable concentrated seed treatments (if any).
5. Add the required amount of Impress.
6. Add remaining water (if any) and allow mixing to continue for 10 minutes prior to using.
7. Maintain application tank agitation during application.

#### Notice: Read Carefully

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, except for the purposes of curative control of existing disease or insect pest, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot of a selected chemical treatment. Due to seed quality conditions beyond the control of the manufacturer, no claims are made to guarantee germination of carryover seed.

*Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.*



Impress is Manufactured for KALO, Inc.

#### CONDITIONS OF SALE, LIMITED WARRANTY, AND LIMITATIONS OF LIABILITY AND REMEDIES

Read the Conditions of Sale – Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full purchase price will be refunded. The directions of this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of KALO, Inc., the manufacturer or seller. In addition, failure to follow label directions may cause injury to crops, animals, workers or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above which are beyond the control of the Company. The Company makes no other warranties or representations of any kind express or implied concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law. The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at KALO, Inc.'s election, one of the following:

1. Refund of the purchase price paid by buyer or user for product purchased, or,
2. Replacement of the product used.

To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company, the manufacturer and seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.



**KALO, Inc.**

13200 Metcalf Ave., Suite 250, Overland Park, KS 66213  
800-255-5196 • www.kalo.com

Scan QR Code to open KALO's Labels & SDS page on www.kalo.com

# Impress iP



## Impress iP Seed Treatment Additive

### Principal Functioning Agents

Proprietary complex of fatty acid alkoxylate and free fatty acids  
infused with purple colorant..... 100.0%

All ingredients are exempt from tolerance requirements under 40 CFR 180.190.



### KEEP OUT OF REACH OF CHILDREN WARNING

#### Hazard Statements

- Causes mild skin irritation.
- Causes eye irritation.

#### Precautionary Statements

- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Wash thoroughly after handling.
- Wear long-sleeved shirt, pants, shoes with socks, chemical resistant gloves and splash proof safety goggles or face mask.
- For additional protection, a chemical resistant apron or coveralls are suggested, but not required.

#### Important

Do not use this product before reading and understanding all safety precautions. Wear personal protection equipment (PPE) when handling. If exposed or concerned about exposure, seek medical advice or attention.

#### First Aid

Call a poison control center or doctor/physician immediately for treatment advice.

**If Swallowed:** Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

**If Inhaled:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.

**If in Eyes:** Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

**If on Skin or Clothing:** Wash skin with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Remove contaminated clothing and wash before reuse.

#### Storage and Disposal

**Storage:** Store above 25°F. Store in tightly closed original container. Store in a cool, well-ventilated place. Do not allow water or other chemicals to be introduced into contents of container. Do not store near feed or food products. Do not use or store near open flame.

**Disposal:** Offer triple rinsed container for recycling, or puncture and dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Dispose of contents/ container in accordance with local/national regulations.

### General Information

Impress iP is designed to impart a purple color and improve the coverage and retention of seed treatments on the treated seed when mixed as an additive with EPA registered seed treatments such as fungicides and insecticides.

### Directions For Use

Impress iP is labeled for use on the following crops: wheat, barley, oats, rye, triticale and rice. Rates should be adjusted to obtain the desired coverage and performance based upon the seed size, seed coat, total slurry mix volume, and seed treatment application equipment.

**Suggested use rate when used as the only source of colorant in a treatment slurry mix:** Add 1.75 to 2.00 fluid ounces of Impress iP per 100 pounds of seed.

**Suggested use rate when used to enhance color intensity of pre-colored treatments:** Add 1.25 to 1.50 fluid ounces of Impress iP per 100 pounds of seed.

**Minimum mixed slurry application volume:** Impress iP should be used with a minimum total mixed slurry application volume of 6 fluid ounces or more applied per 100 pounds of seed.

### Mixing Instructions

ALWAYS READ AND FOLLOW THE MIXING INSTRUCTIONS OF THE EPA REGISTERED SEED TREATMENT CHEMICAL FOR WHICH THIS PRODUCT IS BEING USED AS AN ADDITIVE. The use of a jar-test to confirm compatibility is recommended prior to large volume mixing of any new treatment slurry. In the absence of mixing instructions provided by the chemical manufacturer, follow these general mixing instructions to prepare the slurried treatment mix in the application slurry tank:

1. First add 1/2 of the water required (if any) and initiate mechanical or other mixing device.
2. Add wettable powder and/or dry flowable seed treatments (if any).
3. Add liquid flowable seed treatments.
4. Add emulsifiable concentrated seed treatments (if any).
5. Add the required amount of Impress iP.
6. Add remaining water (if any) and allow mixing to continue for 10 minutes prior to using.
7. Maintain application tank agitation during application.

### Notice: Read Carefully

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, except for the purposes of curative control of existing disease or insect pest, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot of a selected chemical treatment. Due to seed quality conditions beyond the control of the manufacturer, no claims are made to guarantee germination of carryover seed.

*Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.*



## KALO

Impress iP is Manufactured for KALO, Inc.

#### CONDITIONS OF SALE, LIMITED WARRANTY, AND LIMITATIONS OF LIABILITY AND REMEDIES

Read the Conditions of Sale – Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full purchase price will be refunded. The directions of this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of KALO, Inc., the manufacturer or seller. In addition, failure to follow label directions may cause injury to crops, animals, workers or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above which are beyond the control of the Company. The Company makes no other warranties or representations of any kind express or implied concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law. The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at KALO, Inc.'s election, one of the following:

1. Refund of the purchase price paid by buyer or user for product purchased, or,
2. Replacement of the product used.

To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company, the manufacturer and seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.



**KALO, Inc.**  
13200 Metcalf Ave., Suite 250, Overland Park, KS 66213  
800-255-5196 • www.kalo.com

Scan QR Code to open KALO's Labels & SDS page on www.kalo.com

# Impress iR



## Impress iR Seed Treatment Additive

### Principal Functioning Agents

Proprietary complex of fatty acid alkoxylate and free fatty acids  
infused with red colorant..... 100.0%

All ingredients are exempt from tolerance requirements under 40 CFR 180.190.



### KEEP OUT OF REACH OF CHILDREN WARNING

#### Hazard Statements

- Causes mild skin irritation.
- Causes eye irritation.

#### Precautionary Statements

- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Wash thoroughly after handling.
- Wear long-sleeved shirt, pants, shoes with socks, chemical resistant gloves and splash proof safety goggles or face mask.
- For additional protection, a chemical resistant apron or coveralls are suggested, but not required.

#### Important

Do not use this product before reading and understanding all safety precautions. Wear personal protection equipment (PPE) when handling. If exposed or concerned about exposure, seek medical advice or attention.

#### First Aid

Call a poison control center or doctor/physician immediately for treatment advice.

**If Swallowed:** Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

**If Inhaled:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.

**If in Eyes:** Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

**If on Skin or Clothing:** Wash skin with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Remove contaminated clothing and wash before reuse.

#### Storage and Disposal

**Storage:** Store above 25°F. Store in tightly closed original container. Store in a cool, well-ventilated place. Do not allow water or other chemicals to be introduced into contents of container. Do not store near feed or food products. Do not use or store near open flame.

**Disposal:** Offer triple rinsed container for recycling, or puncture and dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Dispose of contents/ container in accordance with local/national regulations.

### General Information

Impress iR is designed to impart a red color and improve the coverage and retention of seed treatments on the treated seed when mixed as an additive with EPA registered seed treatments such as fungicides and insecticides.

### Directions For Use

Impress iR is labeled for use on the following crops: wheat, barley, oats, rye, triticale and rice. Rates should be adjusted to obtain the desired coverage and performance based upon the seed size, seed coat, total slurry mix volume, and seed treatment application equipment.

**Suggested use rate when used as the only source of colorant in a treatment slurry mix:** Add 1.75 to 2.00 fluid ounces of Impress iR per 100 pounds of seed.

**Suggested use rate when used to enhance color intensity of pre-colored treatments:** Add 1.25 to 1.50 fluid ounces of Impress iR per 100 pounds of seed.

**Minimum mixed slurry application volume:** Impress iR should be used with a minimum total mixed slurry application volume of 6 fluid ounces or more applied per 100 pounds of seed.

### Mixing Instructions

ALWAYS READ AND FOLLOW THE MIXING INSTRUCTIONS OF THE EPA REGISTERED SEED TREATMENT CHEMICAL FOR WHICH THIS PRODUCT IS BEING USED AS AN ADDITIVE. The use of a jar-test to confirm compatibility is recommended prior to large volume mixing of any new treatment slurry. In the absence of mixing instructions provided by the chemical manufacturer, follow these general mixing instructions to prepare the slurried treatment mix in the application slurry tank:

1. First add 1/2 of the water required (if any) and initiate mechanical or other mixing device.
2. Add wettable powder and/or dry flowable seed treatments (if any).
3. Add liquid flowable seed treatments.
4. Add emulsifiable concentrated seed treatments (if any).
5. Add the required amount of Impress iR.
6. Add remaining water (if any) and allow mixing to continue for 10 minutes prior to using.
7. Maintain application tank agitation during application.

### Notice: Read Carefully

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, except for the purposes of curative control of existing disease or insect pest, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot of a selected chemical treatment. Due to seed quality conditions beyond the control of the manufacturer, no claims are made to guarantee germination of carryover seed.

*Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.*



Impress iR is Manufactured for KALO, Inc.

#### CONDITIONS OF SALE, LIMITED WARRANTY, AND LIMITATIONS OF LIABILITY AND REMEDIES

Read the Conditions of Sale – Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full purchase price will be refunded. The directions of this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of KALO, Inc., the manufacturer or seller. In addition, failure to follow label directions may cause injury to crops, animals, workers or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above which are beyond the control of the Company. The Company makes no other warranties or representations of any kind express or implied concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law. The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at KALO, Inc.'s election, one of the following:

1. Refund of the purchase price paid by buyer or user for product purchased, or,
2. Replacement of the product used.

To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company, the manufacturer and seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.



**KALO, Inc.**  
13200 Metcalf Ave., Suite 250, Overland Park, KS 66213  
800-255-5196 • www.kalo.com

Scan QR Code to open KALO's Labels & SDS page on www.kalo.com