

SAFETY DATA SHEET



SECTION 1: IDENTIFICATION

Company Information	KALO, Inc., 13200 Metcalf Ave., Ste. 250, Overland Park, KS 66213
Phone Numbers	800-255-5196 / 913-491-9146 FAX
Website	www.kalo.com
Product Identity	ENTRO
Reference/Item Number	ENT01, ENT02, ENT30, ENT55, ENT265
Intended Use	See technical data sheet.
Application Method	See technical data sheet.
24 HOUR EMERGENCY NUMBER/CHEMTREC (USA)	1-800-424-9300
POISON CONTROL CENTER (USA)	1-800-222-1212

SECTION 2: HAZARDS IDENTIFICATION

HAZARD COMMUNICATION STANDARD (HCS) PICTOGRAM(S) AND SIGNAL WORD(S)



WARNING

Combustible Liq:	H227: Combustible liquid.
Eye Irritant 2:	H319: Causes serious eye irritation.
Skin Irritant 2:	H315: Causes skin irritation.
Prevention:	P210: Keep away from heat, sparks, open flames, hot surfaces. No smoking. P260: Do not breathe mist, vapors or spray. P280: Wear protective gloves and eye/face protection. P264: Wash thoroughly after handling.
Response:	P305+351+338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do; continue rinsing. P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304+312: IF INHALED: Call a poison center or doctor/physician if you feel unwell. P310: Immediately call a poison center or doctor/physician. P340: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P363: Wash contaminated clothing before reuse. P370+376: IN CASE OF FIRE: Stop leak if safe to do so.
Storage:	P403+235: Store in a well-ventilated place. Keep cool.
Disposal:	P501: Dispose of contents/container in accordance with local/national regulations.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

This product is labeled with the following GHS classifications, as it contains substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations. This product is a proprietary blend and the ingredients and mixture percentages are being withheld as a trade secret.

Ingredient/Chemical Designations:	Proprietary blend of surfactants, modified seed oil and nitrogen fertilizer solution
CAS No.:	Proprietary
Weight %:	100
Notes:	Substance classified with a health or environmental hazard. Substance with a workplace exposure limit.

SAFETY DATA SHEET



KALO

SECTION 4: FIRST AID MEASURES

[DESCRIPTIONS]

General:	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation:	Remove to fresh air. Keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes:	Irrigate copiously with clean fresh water for at least 10 minutes, holding the eyelids apart and seek medical attention.
Skin:	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Do NOT use solvents or thinners.
Ingestion:	If accidentally swallowed, obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

[MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED]

Overview:	No adverse symptoms or effects anticipated under normal handling conditions. See Section 2 for further details.
Eyes:	Causes serious eye irritation.
Skin:	Causes skin irritation.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing Media:	Alcohol resistant foam, CO ₂ , powder, or water spray. Do not use water jet.
Special Hazards:	Avoid breathing dust, fume, mist, vapors and spray. Irritating or toxic substances may be emitted upon thermal decomposition. Thermal decomposition products may include oxides of carbon as well as smoke and fume. Never use welding or cutting torches on or near container, even if empty.
Advice For Firefighters:	Evacuate area. Prevent contamination from run-off of adjacent areas, streams, drinking water and sewers. Do not flush down sewers or other drainage systems. Exposed firefighters must wear standard protective equipment and in enclosed areas self-contained breathing apparatus. Use water-spray to cool fire-exposed surfaces and personnel.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Precautions/Procedures:	Keep all sources of ignition away from spill/release. In case of a major spill or spillage in a confined space evacuate the area and check vapor levels.
Environmental Precautions:	Do not allow spills to enter drains or water courses.
Methods and Material For Containment and Cleaning Up:	Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in Section 8. Contain and absorb spillage with non-combustible materials (e.g. sand/earth/vermiculite). Place in closed containers outside buildings and dispose of according to the Waste Regulations (see Section 13). Clean, preferably with a detergent. Do not use solvents. Do not allow spills to enter drains or water courses. If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams, or lakes, the Environmental Protection Agency should also be informed.

SECTION 7: HANDLING AND STORAGE

Precautions For Safe Handling:	Handle containers carefully to prevent damage and spillage. Do not get in eyes, on skin, or on clothing. Do not breathe vapors or mists. Keep container closed. Use only with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and wash before reuse. Destroy contaminated belts and shoes and other items that cannot be decontaminated. Have eyewash accessible to use in handling area. See Section 2 for further details.
Conditions For Safe Storage:	Store in tightly closed containers in dry, well-ventilated area, away from excessive heat and incompatibles. See Section 2 for further details.
Incompatible Materials:	Strong oxidizers, strong acids, strong bases.
Specific End Use(s):	See technical data sheet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Data: This product contains the following ingredient with established limits for exposure under OSHA, ACGIH and/or NIOSH.

CAS No.	Ingredient	Source	Value
0000056-81-5	Glycerol	OSHA	TWA: 15 mg/m ³ (total) / TWA: 5 mg/m ³ [resp]
		ACGIH	TWA: 3 mg/m ³ (resp) / 10 mg/m ³ [mist]
		NIOSH	No Established RELs
CAS No.	Ingredient	Source	Value
0000071-36-3	Butan-1-ol	OSHA	TWA: 100 ppm (300 mg/m ³)
		ACGIH	TWA: 15 ppm / Ceiling: 30 ppm
		NIOSH	C 500 ppm (150 mg/m ³) [skin]
CAS No.	Ingredient	Source	Value
0000111-42-2	Diethanolamine	OSHA	No Established RELs
		ACGIH	TWA: 2 mg/m ³ [skin 2B] / Revised 2009; 2010
		NIOSH	TWA: 3 ppm (15 mg/m ³)
CAS No.	Ingredient	Source	Value
0000111-76-2	2-Butoxy-ethanol	OSHA	TWA: 50 ppm (240 mg/m ³) [skin]
		ACGIH	TWA: 20 ppm / Revised 2003
		NIOSH	TWA: 5 ppm (24 mg/m ³) [skin]

Carcinogen Data: This product contains the following ingredients (at greater than 0.1%) that are suspected of being or known to be a carcinogen under OSHA, NTP or IARC.

[EXPOSURE CONTROLS]

Respiratory: If workers are exposed to concentrations above the exposure limit, they must use the appropriate certified respirators.

Eyes: Wear safety eyewear (e.g. safety spectacles/goggles/visors) to protect against the splash of liquids.

Skin: Overalls, which cover the body, arms, and legs, should be worn. Skin should not be exposed. All parts of the body should be washed after contact.

Engineering Controls: Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates, and any vapor below occupational exposure limits, suitable respiratory protection must be worn.

Other Work Practices: Contains mineral oil. The exposure limits for oil mist are 5 mg/m³ OSHA PEL, and 10 mg/m³ ACGIH.

SAFETY DATA SHEET



KALO

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Slightly Hazy Pale Yellow Liquid
Odor:	Ammonia
Odor Threshold:	Not Measured
pH:	8.4-8.7
Specific Gravity:	1.10-1.13 @ 20°C
Flashpoint:	>141°F (>61°C) Tag Closed Cup
Solubility in Water:	Not Measured
Viscosity (cSt):	Not Measured
VOC%:	Not Measured
Vapor Pressure (Pa):	Not Measured
Vapor Density:	Not Measured
Melting/Freezing Points:	Not Measured
Initial Boiling Point/Range (°F/°C):	Not Measured
Flammability (Solid,Gas):	Not Measured
Upper Flammability/Explosive Limits:	Not Measured
Lower Flammability/Explosive Limits:	Not Measured
Decomposition Temperature:	Not Measured
Auto-Ignition Temperature:	Not Measured
Partition Co-Efficient n-octanol/water (Log Kow):	Not Measured
Evaporation Rate (Ether=1):	Not Measured
Other:	No other relevant information.

SECTION 10: STABILITY AND REACTIVITY

Reactivity:	Not chemically reactive.
Chemical Stability:	Stable under normal ambient and anticipated conditions of use.
Hazardous Reactions:	Hazardous reactions not anticipated.
Conditions To Avoid:	Extended exposure to high temperatures can cause decomposition. Avoid all possible sources of ignition.
Incompatible Materials:	Strong oxidizers, strong acids, strong bases.
Hazardous Decomposition Products:	Not anticipated under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

[ACUTE TOXICITY ESTIMATE]		
Ingredients:	Proprietary Blend of Surfactants, Modified Seed Oil and Nitrogen Fertilizer Solution	
Oral LD50mg/kg:	>5,000.00 (rat) / Category: NA	
Skin LD50mg/kg:	>5,000.00 (rabbit) / Category: NA	
Inhalation Vapor LC50mg/L/4hr:	No Data Available	
Inhalation Dust/Mist LC50mg/L/4hr:	No Data Available	
ITEM	HAZARD	CATEGORY
Acute Toxicity (mouth):	Not Applicable	--
Acute Toxicity (skin):	Not Applicable	--
Acute Toxicity (inhalation):	Not Applicable	--
Skin Corrosion/Irritation:	Causes skin irritation.	2
Eye Damage/Irritation:	Causes serious eye damage.	2
Sensitization (respiratory):	Not Applicable	--
Sensitization (skin):	Not Applicable	--
Germ Toxicity:	Not Applicable	--
Carcinogenicity:	Not Applicable	--
Reproductive Toxicity:	Not Applicable	--
Specific Target Organ Systemic Toxicity-Single Exposure:	Not Applicable	--
Specific Target Organ Systemic Toxicity-Repeated Exposure:	Not Applicable	--
Aspiration Hazard:	Not Applicable	--

SECTION 12: ECOLOGICAL INFORMATION

Toxicity:	No additional information provided for this product.
Aquatic Ecotoxicity:	This product is not expected to be toxic to the aquatic environment.
Persistence and Degradability:	There is no data available on the preparation itself.
Bioaccumulative Potential:	Not measured.
Mobility In Soil:	No data available.
Results of PBT and vPvB Assess:	This product contains no PBT/vPvB chemicals.
Other Adverse Effects:	No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Treatment Methods:	Do not allow into drains or water courses. Wastes and emptied containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority, whether the special waste regulations apply. Dispose of contents in accordance with local and national regulations.
--------------------------	--

SAFETY DATA SHEET



KALO

SECTION 14: TRANSPORT INFORMATION

DOT Proper Shipping Name:	NA1993, Combustible Liquids, N.O.S. (butanol and glycol ether EB), 3, PG III
DOT Hazard Class:	3
DOT Packing Group:	III
DOT Label:	3
IMDG Proper Shipping Name:	NA1993, Combustible Liquids, N.O.S. (butanol and glycol ether EB), 3, PG III
IMDG Hazard Class:	3
IMDG Packing Group:	III
IMDG Marine Pollutant:	No
ICAO/IATA:	See Bill of Lading

SECTION 15: REGULATORY INFORMATION

Regulatory Overview:	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
Toxic Substance Control Act (TSCA):	All ingredients of this product are listed on the TSCA inventory, or are not required to be listed on the TSCA inventory.
WHMIS Classification:	B3 D2B
U.S. EPA Tier II Hazards:	Fire=YES / Sudden Release of Pressure=NQ / Reactive=NQ / Immediate (acute)=YES / Delayed (chronic)=NQ
EPCRA 302–Extremely Hazardous (0.1%):	To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.
EPCRA 311/312–Chemicals and RQs (>0.1%):	Butan-1-01 (5,000.00) / Diethanolamine (100.00)
EPCRA 313–Toxic Chemicals (>0.1%):	2-Butoxy-ethanol / Ammonium Nitrate (solution) / Butan-1-o1 / Diethanolamine
Proposition 65–Carcinogens (>0.0%):	1-4,dioxane / Acetaldehyde / Diethanolamine / Oxirane
Proposition 65–Developmental Toxins (>0.0%):	To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.
Proposition 65–Female Repro Toxins (>0.0%):	Oxirane
Proposition 65–Male Repro Toxins (>0.0%):	Oxirane
N.J. RTK Substances (>1%):	2-Butoxy-ethanol / Ammonium Nitrate (solution) / butan-1-0a / Diethanolamine / Glycerol
PENN RTK Substances (>1%):	2-Butoxy-ethanol / Ammonium Nitrate (solution) / butan-1-0a / Diethanolamine / Glycerol

SECTION 16: OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. Company accepts no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations and orders.